

View Online at <https://aerobasegroup.com/nsn/5340-00-940-2012>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.750 inches

**Second Leg Length:**

1.540 inches

**Second Leg Width:**

2.700 inches

**First Leg Hole Diameter:**

Between 0.245 inches and 0.255 inches

**First Leg Thickness:**

Between 0.045 inches and 0.050 inches

**Second Leg Thickness:**

Between 0.045 inches and 0.050 inches

**Center Section Height:**

0.586 inches

**Center Section Width:**

2.700 inches

**Center Section Thickness:**

Between 0.045 inches and 0.050 inches

**First Leg Width:**

2.700 inches

**First Leg Corner Radius:**

0.250 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

1.100 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

1.100 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square and tapered

**Second Leg Hole Arrangement Style:**

No hole

**Second Leg Relationship To First Leg:**

Not identical

**Special Features:**

First leg raised 1 degrees 48 min on left side

**Material:**

Titanium alloy

**Material Specification:**

Ams4910 assn standard single material response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A042a0