NSN 5340-00-950-0105



View Online at https://aerobasegroup.com/nsn/5340-00-950-0105 Fabrication Method (non-core): Machined First Leg Length: 0.650 inches Second Leg Length: 1.410 inches Second Leg Width: 0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches
Machined First Leg Length: 0.650 inches Second Leg Length: 1.410 inches Second Leg Width: 0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
First Leg Length: 0.650 inches Second Leg Length: 1.410 inches Second Leg Width: 0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches
0.650 inches Second Leg Length: 1.410 inches Second Leg Width: 0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
Second Leg Length: 1.410 inches Second Leg Width: 0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
1.410 inches Second Leg Width: 0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
Second Leg Width: 0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
0.640 inches First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
First Leg Hole Diameter: 0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
0.219 inches Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
Second Leg Hole Diameter: 0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
0.344 inches Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
Second Leg Distance From Edge To Hole Center Along Width: 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
Second Leg Distance From Edge To Hole Center Along Length: 1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
1.160 inches First Leg Thickness: 0.063 inches Second Leg Thickness:
First Leg Thickness: 0.063 inches Second Leg Thickness:
0.063 inches Second Leg Thickness:
Second Leg Thickness:
-
0.063 inches
First Leg Width:
0.640 inches
First Leg Distance From Edge To Hole Center Along Width:
0.320 inches
First Leg Distance From Edge To Hole Center Along Length:
0.280 inches
First Leg End Radius:
0.450 inches
Second Leg End Radius:
0.450 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical

First Leg Angle: 90.0 degrees

## NSN 5340-00-950-0105

Angle Bracket - Page 2 of 2

Material:

Steel comp 321

Material Specification:

66 federal standard single material response

Style Designator:

Angle

**Fsc Application Data:** 

Jet engine, acft

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A042a0

