NSN 5340-00-955-1590

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-955-1590
Fabrication Method (non-core): Machined
First Leg Length:
Between 1.530 inches and 1.610 inches
Second Leg Length:
Between 2.070 inches and 2.150 inches
Second Leg Width:
Between 2.280 inches and 2.360 inches
Second Leg Corner Radius:
Between 0.300 inches and 0.340 inches
First Leg Hole Diameter:
0.281 inches
First Leg Thickness:
Between 0.082 inches and 0.098 inches
Second Leg Thickness:
Between 0.082 inches and 0.098 inches
First Leg Width:
Between 3.150 inches and 3.190 inches
First Leg Corner Radius:
Between 0.250 inches and 0.270 inches
First Leg Distance Between Hole Centers Along Width:
2.650 inches
First Leg Distance From Edge To Hole Center Along Width:
Between 0.250 inches and 0.270 inches
First Leg Distance From Edge To Hole Center Along Length:
Between 0.250 inches and 0.270 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Corner radius
First Leg Angle:
90.0 degrees
Material:
Steel comp 321
Material Specification:
Ams 5510 assn standard single material response
Style Designator:
Angle

Shelf Life:

N/a

NSN 5340-00-955-1590 Angle Bracket - Page 2 of 2



ı	In	it I	∩ f	R/	100	611	re:
ι	JΝ	II '	UΙ	IV	еа	SU	ıre:

Demilitarization:

No

Fiig:

A042a0