## NSN 5340-00-955-1716

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-955-1716

First Leg Length:
0.500 inches
Second Leg Length:
1.000 inches
Second Leg Width:
1.379 inches
Second Leg End Width:
1.187 inches
First Leg Hole Diameter:
0.128 inches
Second Leg Hole Diameter:
Between 0.115 inches and 0.119 inches
Second Leg Distance Between Hole Centers Along Width:
0.250 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.188 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.188 inches
First Leg Thickness:
0.032 inches
Second Leg Thickness:
0.032 inches
First Leg Width:
1.375 inches
First Leg End Width:
1.187 inches
First Leg Distance Between Hole Centers Along Width:
0.875 inches
First Leg Distance From Edge To Hole Center Along Width:
0.187 inches
First Leg Distance From Edge To Hole Center Along Length:
0.187 inches
First Leg Style:
Angle
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Square and tapered
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical

## **NSN 5340-00-955-1716** Angle Bracket - Page 2 of 2



First Leg Angle:
90.0 degrees
Special Features:
Holes 5 side by side, with attached stud
Material:
Copper alloy
Material Specification:
Qq-b-639 464 federal specification single material response
Surface Treatment:
Tin
Surface Treatment Specification:
Mil-t-10727 type 2 military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-t-10727 spec.