
Angle Bracket - Page 1 of 2

Mounting Hole Type:





0 )1
Plain
First Leg Length:
0.690 inches
Second Leg Length:
1.060 inches
Reinforcement Method (non-core):
Rib stiffener center section
Second Leg Width:
0.750 inches
First Leg Hole Diameter:
0.204 inches
Second Leg Hole Diameter:
0.128 inches
Second Leg Distance Between Hole Centers Along Width:
0.374 inches
Second Leg Distance From Edge To Hole Center Along Width
0.190 inches
Second Leg Distance From Edge To Hole Center Along Lengt
0.310 inches
First Leg Thickness:
0.064 inches
Second Leg Thickness:
0.064 inches
First Leg Width:
0.750 inches
First Leg Distance From Edge To Hole Center Along Width:
0.375 inches
First Leg Distance From Edge To Hole Center Along Length:
0.310 inches
First Leg End Radius:
0.440 inches
Second Leg End Radius:
0.440 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
Two holes

Along Width:

Along Length:

# NSN 5340-00-958-1377

Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:

Not identical

#### First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

## Material Specification:

Qq-a-250/5 federal specification single material response

#### Style Designator:

Angle

#### **Specification Data:**

81205-bacb20 manufacturers specification

Shelf Life:

N/a

#### Unit Of Measure:

---

### Demilitarization:

No

#### Fiig:

A042a0