## NSN 5340-00-960-0880

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-960-0880

Fabrication	Method	(non-core):
Machined		

First Leg Length:
Between 1.230 inches and 1.410 inches

Second Leg Length:

Between 1.230 inches and 1.410 inches

First Leg Hole Diameter:

0.281 inches

First Leg Thickness:

Between 0.057 inches and 0.069 inches

Second Leg Thickness:

Between 0.057 inches and 0.069 inches

**Center Section Height:** 

Between 0.880 inches and 0.920 inches

**Center Section Width:** 

Between 0.480 inches and 0.520 inches

**Center Section Thickness:** 

Between 0.057 inches and 0.069 inches

First Leg Width:

Between 0.480 inches and 0.520 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg End Radius:

Between 0.240 inches and 0.260 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

**Second Leg Angle:** 

90.0 degrees

Material:

Steel

**Material Specification:** 

Ams 5510 assn standard single material response

**Style Designator:** 

Double angle

## NSN 5340-00-960-0880

Double Angle Bracket - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A042a0