

View Online at <https://aerobasegroup.com/nsn/5340-00-970-4166>

Fabrication Method (non-core):

Stamped

First Leg Length:

0.500 inches

Second Leg Length:

0.547 inches

Second Leg Width:

0.375 inches

First Leg Hole Diameter:

0.218 inches

Second Leg Hole Diameter:

Between 0.104 inches and 0.107 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.200 inches and 0.206 inches

Second Leg Distance Between Hole Centers Along Length:

0.155 mils and 0.159 centimeters

Second Leg Distance From Edge To Hole Center Along Width:

0.123 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.122 inches

First Leg Thickness:

0.030 inches

Second Leg Thickness:

0.030 inches

First Leg Width:

0.375 inches

First Leg Distance From Edge To Hole Center Along Width:

0.172 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

126.5 degrees

Second Leg Offset Angle:

30.0 degrees

Material:

Steel

Material Specification:

Qq-s-698 federal specification single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, class c federal specification single treatment response

Style Designator:

Offset angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0