

View Online at <https://aerobasegroup.com/nsn/5340-00-971-4921>

Fabrication Method (non-core):

Wrought

First Leg Length:

Between 1.094 inches and 1.156 inches

Second Leg Length:

Between 1.844 inches and 1.906 inches

Second Leg Width:

Between 1.594 inches and 1.656 inches

First Leg Hole Diameter:

Between 0.275 inches and 0.283 inches

Second Leg Hole Diameter:

Between 0.275 inches and 0.283 inches

Second Leg Distance Between Upper Hole Centers Along Width:

Between 0.745 inches and 0.755 inches

Second Leg Distance Between Hole Centers Along Length:

1.625 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.375 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.312 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

Between 1.594 inches and 1.656 inches

First Leg Corner Radius:

Between 0.156 inches and 0.218 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.423 inches and 0.453 inches

First Leg Distance From Edge To Hole Center Along Length:

0.494 inches

Second Leg End Radius:

0.312 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 4130

Surface Treatment:

Phosphate zinc and enamel

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0