

View Online at <https://aerobasegroup.com/nsn/5340-00-976-4629>

First Leg Length:

Between 1.060 inches and 1.180 inches

Second Leg Length:

Between 0.890 inches and 1.010 inches

Second Leg Width:

Between 0.590 inches and 0.650 inches

First Leg Hole Diameter:

Between 0.380 inches and 0.390 inches

Second Leg Hole Diameter:

Between 0.195 inches and 0.205 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.280 inches and 0.340 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.280 inches and 0.340 inches

First Leg Thickness:

Between 0.053 inches and 0.073 inches

Second Leg Thickness:

Between 0.053 inches and 0.073 inches

First Leg Width:

Between 0.590 inches and 0.650 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.280 inches and 0.340 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.280 inches and 0.340 inches

First Leg End Radius:

Between 0.280 inches and 0.340 inches

Second Leg End Radius:

Between 0.280 inches and 0.340 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Heat Treatment:

T-3 solution heat treated

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, alclad t3 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.