

View Online at <https://aerobasegroup.com/nsn/5340-00-977-0868>

Fabrication Method (non-core):

Machined

First Leg Length:

2.000 inches

Second Leg Length:

1.500 inches

Second Leg Width:

Between 2.160 inches and 2.222 inches

First Leg Hole Diameter:

Between 0.740 inches and 0.760 inches

Second Leg Hole Diameter:

Between 0.280 inches and 0.286 inches

Second Leg Distance Between Hole Centers Along Width:

Between 1.505 inches and 1.515 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.330 inches and 0.350 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.730 inches and 0.770 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

Between 2.160 inches and 2.220 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 1.080 inches and 1.120 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 1.020 inches and 1.030 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

66, aisi/sae 1020 federal standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 1, class 1 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0