

View Online at <https://aerobasegroup.com/nsn/5340-00-987-9096>

Fabrication Method (non-core):

Machined

First Leg Length:

Between 1.734 inches and 1.766 inches

Second Leg Length:

0.188 inches

Second Leg Width:

3.125 inches

Second Leg End Width:

2.250 inches

First Leg Hole Diameter:

0.281 inches

Second Leg Hole Diameter:

0.266 inches

Second Leg Distance Between Hole Centers Along Width:

Between 1.984 inches and 2.016 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.562 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

3.125 inches

First Leg Distance Between Hole Centers Along Width:

Between 1.984 inches and 2.016 inches

First Leg Distance Between Hole Centers Along Length:

Between 0.734 inches and 0.766 inches

First Leg Distance From Edge To Hole Center Along Width:

0.562 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Surface Treatment:

Enamel

Surface Treatment Specification:

Tt-e-529 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0