# NSN 5340-00-992-9312

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-992-9312

First Leg Length:
0.200 inches
Second Leg Length:
0.470 inches
Second Leg Width:
0.500 inches
First Leg Hole Diameter:
0.086 inches
Second Leg Hole Diameter:
0.086 inches
Second Leg Distance Between Hole Centers Along Width:
0.180 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.160 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.240 inches
First Leg Thickness:
0.110 inches
Second Leg Thickness:
0.020 inches
Center Section Height:
0.060 inches
Center Section Width:
0.500 inches
Center Section Thickness:
0.020 inches
First Leg Width:
0.500 inches
First Leg Distance Between Hole Centers Along Width:
0.180 inches
First Leg Distance From Edge To Hole Center Along Width:
0.160 inches
First Leg Distance From Edge To Hole Center Along Length:
0.110 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Two holes

## NSN 5340-00-992-9312

Double Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:

Not identical

#### First Leg Angle:

135.0 degrees

## Second Leg Angle:

135.0 degrees

Material:

Aluminum alloy 2024

### Material Specification:

Qq-a-250/5, alclad t3 federal specification single material response

#### Surface Treatment:

Chromate

## Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

#### Style Designator:

Double angle

Shelf Life:

N/a

#### Unit Of Measure:

Demilitarization:

No

---

Fiig:

A042a0

#### Mil-std (military Standard):

Mil-c-5541 spec.