# NSN 5340-00-995-2440

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-995-2440

`	/iew Online at https://aerobasegroup.com/hsn/5340-00-995-2440
F	First Leg Length:
(	0.625 inches
5	Second Leg Length:
1	I.313 inches
ę	Second Leg Width:
(	0.500 inches
F	First Leg Hole Diameter:
(	0.204 inches
5	Second Leg Hole Diameter:
(	0.272 inches
5	Second Leg Distance From Edge To Hole Center Along Width:
(	).375 inches
ę	Second Leg Distance From Edge To Hole Center Along Length:
(	).375 inches
F	First Leg Thickness:
0	0.080 inches
5	Second Leg Thickness:
(	0.080 inches
F	First Leg Width:
0	0.500 inches
F	First Leg Distance From Edge To Hole Center Along Width:
0	0.250 inches
F	First Leg Distance From Edge To Hole Center Along Length:
(	0.250 inches
F	First Leg End Radius:
(	0.250 inches
ę	Second Leg End Radius:
(	0.375 inches
F	First Leg Style:
E	End radius
F	First Leg Hole Arrangement Style:
(	One hole
5	Second Leg Style:
-	End radius
ę	Second Leg Hole Arrangement Style:
	One hole
	Second Leg Relationship To First Leg:
-	dentical
	First Leg Angle:
	00.0 degrees
-	Heat Treatment:
A	Annealed

# NSN 5340-00-995-2440

Angle Bracket - Page 2 of 2



Material:

Steel comp 4130

#### **Material Specification:**

Mil-s-18729 military specification single material response

### Surface Treatment:

Cadmium and chromate

## Surface Treatment Specification:

Qq-p-416, type 2, cl2 federal specification all treatment responses

## Style Designator:

Angle

Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A042a0

### Mil-std (military Standard):

Mil-s-18729 spec.