

View Online at <https://aerobasegroup.com/nsn/5340-00-998-6805>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.678 inches

**Second Leg Length:**

1.073 inches

**Second Leg Width:**

0.500 inches

**First Leg Slot Length:**

0.283 inches

**First Leg Slot Width:**

0.205 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.284 inches

**Second Leg Slot Length:**

0.283 inches

**Second Leg Slot Width:**

0.205 inches

**First Leg Thickness:**

0.080 inches

**Second Leg Thickness:**

0.080 inches

**First Leg Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.284 inches

**First Leg End Radius:**

0.500 inches

**Second Leg End Radius:**

0.500 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.0 degrees

**Heat Treatment:**

Annealed

**Material:**

Iron alloy 660

**Material Specification:**

Ams 5525 assn standard single material response

**Style Designator:**

Angle

**Fsc Application Data:**

Engine, jet acft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0