

View Online at <https://aerobasegroup.com/nsn/5340-00-999-6441>

**Fabrication Method (non-core):**

Stamped

**First Leg Length:**

3.000 inches

**Second Leg Length:**

4.000 inches

**Second Leg Width:**

17.000 inches

**First Leg Hole Diameter:**

Between 0.529 inches and 0.539 inches

**Second Leg Hole Diameter:**

Between 0.530 inches and 0.540 inches

**Second Leg Distance Between Hole Centers Along Width:**

4.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

9.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.000 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

17.000 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

3.000 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

3.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

10.030 inches

**First Leg Distance From Edge To Hole Center Along Length:**

1.250 inches

**First Leg Style:**

Angle

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square and tapered

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Chamfer opposite second leg end width, one hole in second leg 0.779 in. Min, 0.789 in. Dia. Max

**Material:**

Steel comp 1010 or steel comp 1020

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0