

View Online at <https://aerobasegroup.com/nsn/5340-01-008-6911>

**First Leg Length:**

Between 0.820 inches and 0.860 inches

**Second Leg Length:**

2.326 inches

**Second Leg Width:**

0.899 inches

**First Leg Slot Length:**

Between 0.400 inches and 0.440 inches

**First Leg Slot Width:**

Between 0.200 inches and 0.220 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.556 mils and 1.566 centimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.545 inches and 0.555 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.360 inches and 0.380 inches

**Second Leg Slot Length:**

Between 0.400 inches and 0.440 inches

**Second Leg Slot Width:**

Between 0.200 inches and 0.220 inches

**First Leg Thickness:**

Between 0.057 inches and 0.069 inches

**Second Leg Thickness:**

Between 0.057 inches and 0.069 inches

**First Leg Width:**

0.680 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.495 inches and 0.505 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.360 inches and 0.380 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 321

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0