## NSN 5340-01-009-5662

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-009-5662

| Fabrication Method (non-core):                             |
|--|
| Machined   |
| First Leg Length:  |
| 1.500 inches   |
| Second Leg Length:   |
| 2.500 inches   |
| Second Leg Width:  |
| 0.750 inches   |
| First Leg Hole Diameter:                                   |
| 0.280 inches   |
| Second Leg Hole Diameter:                                  |
| 0.500 inches   |
| Second Leg Distance From Edge To Hole Center Along Width:  |
| 0.188 inches   |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.500 inches   |
| First Leg Thickness:                                       |
| 0.188 inches   |
| Second Leg Thickness:                                      |
| 0.188 inches   |
| First Leg Width:   |
| 0.750 inches   |
| First Leg Distance Between Hole Centers Along Length:      |
| 0.625 inches   |
| First Leg Distance From Edge To Hole Center Along Width:   |
| 0.375 inches   |
| First Leg Distance From Edge To Hole Center Along Length:  |
| 0.250 inches   |
| First Leg Style:   |
| Square   |
| First Leg Hole Arrangement Style:                          |
| Two holes  |
| Second Leg Style:  |
| Square   |
| Second Leg Hole Arrangement Style:                         |
| One hole   |
| Second Leg Relationship To First Leg:                      |
| Not identical  |
| Material:  |
| Steel comp 1020  |
| Material Specification:                                    |

Qq-s-698 federal specification single material response

## **NSN 5340-01-009-5662** Angle Bracket - Page 2 of 2

Fiig: A042a0



| Surface Treatment:  |
|---|
| Cadmium   |
| Surface Treatment Specification:  |
| Qq-p-416, type 1, class 3 federal specification single treatment response |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
|   |