

View Online at <https://aerobasegroup.com/nsn/5340-01-011-5769>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

1.518 inches

**Second Leg Length:**

2.406 inches

**First Leg Hole Diameter:**

Between 0.339 inches and 0.349 inches

**Second Leg Hole Diameter:**

Between 0.216 inches and 0.226 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

Between 0.085 inches and 0.101 inches

**Second Leg Thickness:**

Between 0.085 inches and 0.101 inches

**First Leg Width:**

1.576 inches

**First Leg Distance Between Hole Centers Along Width:**

0.952 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.275 inches

**Second Leg End Radius:**

0.250 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One hole

**First Leg Angle:**

90.0 degrees

**Product Name:**

Bracket, loop clamp

**Material:**

Steel comp 410

**Material Specification:**

Ams 5504 assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0