

View Online at <https://aerobasegroup.com/nsn/5340-01-016-5946>

**Thread Class:**

3b rod connection

**Thread Direction:**

Right-hand rod connection

**Thread Length:**

0.886 inches rod connection and 0.896 inches rod connection

**Hole Diameter:**

Between 0.257 inches and 0.261 inches

**Overall Height:**

Between 0.617 inches and 0.625 inches

**Overall Width:**

Between 0.617 inches and 0.625 inches

**End Radius:**

0.440 inches

**Metallic Hardness Rating:**

26.0 rockwell c and 32.0 rockwell c

**Fork Span Width:**

Between 0.344 inches and 0.346 inches

**Securing Pin Hole Diameter:**

Between 0.039 inches and 0.044 inches

**Distance From Center Of Securing Pin Hole To Rod End:**

0.094 inches

**Distance From Pivot Pinhole Center To Rod Connection End:**

1.641 inches

**Fork Arm Thickness:**

0.136 mils and 0.141 centimeters

**Fork Depth:**

Between 0.745 inches and 0.755 inches

**Thread Size:**

0.250 inches rod connection

**Material:**

Steel comp 416se

**Material Specification:**

Ams 5610 assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Es5, cage 11346 mfr ref single treatment response

**Style Designator:**

Clevis

**Thread Series Designator:**

Unf rod connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A264a0