
NSN 5340-01-018-9802

Angle Bracket - Page 1 of 2

Angle





Fabrication Method (non-core): Extruded First Leg Length: Between 1.220 inches and 1.280 inches Second Leg Length: Between 1.970 inches and 2.030 inches Second Leg Width: 1.120 inches First Leg Hole Diameter: Between 0.174 inches and 0.182 inches **First Leg Thickness:** 0.120 inches Second Leg Thickness: 0.120 inches First Leg Width: 1.120 inches First Leg Distance Between Hole Centers Along Width: 0.562 inches First Leg Distance From Edge To Hole Center Along Width: 0.250 inches First Leg Distance From Edge To Hole Center Along Length: 0.310 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style: Square First Leg Angle: 90.0 degrees **Special Features:** Second leg has two elongated slots Material: Aluminum alloy 6063 **Material Specification:** Qq-a-200/9, t5 federal specification single material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response Style Designator:

NSN 5340-01-018-9802

Angle Bracket - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.

