NSN 5340-01-024-3414

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-024-3414

Mounting Hole Type: Plain First Leg Length: 0.590 inches Second Leg Length: 1.000 inches Second Leg Width: 2.000 inches Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches First Leg Width: 0.380 inches First Leg End Width: 0.380 inches First Leg End Width: 0.380 inches First Leg Style: Square and tapered
First Leg Length: 0.590 inches Second Leg Length: 1.000 inches Second Leg Width: 2.000 inches Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches First Leg Width: 0.380 inches First Leg Width: 0.380 inches First Leg End Width: 0.380 inches First Leg End Width: 0.380 inches First Leg Style:
0.590 inches Second Leg Length: 1.000 inches Second Leg Width: 2.000 inches Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg End Width: 0.380 inches First Leg End Width: 0.380 inches First Leg Style:
Second Leg Length: 1.000 inches Second Leg Width: 2.000 inches Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches First Leg Width: 0.380 inches First Leg End Width: 0.380 inches First Leg End Width: 0.380 inches First Leg Style:
1.000 inches Second Leg Width: 2.000 inches Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg End Width: 0.380 inches First Leg Style:
Second Leg Width: 2.000 inches Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
2.000 inches Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches First Leg Width: 0.380 inches First Leg End Width: 0.380 inches First Leg End Width: 0.380 inches First Leg Style:
Second Leg Hole Diameter: Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg End Width:
Between 0.137 inches and 0.140 inches Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.330 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
Second Leg Distance Between Hole Centers Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
1.000 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
Second Leg Distance From Edge To Hole Center Along Length: 0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
0.380 inches First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
First Leg Thickness: 0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
0.030 inches Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
Second Leg Thickness: 0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
0.030 inches Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
Center Section Height: 1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
1.620 inches Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
Center Section Width: 2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
2.000 inches Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
Center Section Thickness: 0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
0.030 inches First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
First Leg Width: 0.880 inches First Leg End Width: 0.380 inches First Leg Style:
0.880 inches First Leg End Width: 0.380 inches First Leg Style:
First Leg End Width: 0.380 inches First Leg Style:
0.380 inches First Leg Style:
First Leg Style:
Square and tapered
·
First Leg Hole Arrangement Style:
No hole
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:

90.0 degrees

NSN 5340-01-024-3414

Double Angle Bracket - Page 2 of 2



Second Leg Angle:
90.0 degrees
Special Features:
1 self clinching stud in each hole in second leg
Material:
Aluminum alloy 5052
Material Specification:
Qq-a-250/8, h32 federal specification single material response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A042a0