## NSN 5340-01-024-8516

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-024-8516

First Leg Length:

Between 0.688 inches and 0.812 inches

Second Leg Length:

Between 1.313 inches and 1.437 inches

Second Leg Width:

Between 0.438 inches and 0.562 inches

First Leg Slot Length:

Between 0.376 inches and 0.500 inches

First Leg Slot Width:

Between 0.188 inches and 0.250 inches

Second Leg Hole Diameter:

0.205 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:** 

Between 0.938 inches and 1.062 inches

First Leg Thickness:

0.045 inches

Second Leg Thickness:

0.045 inches

First Leg Width:

Between 0.438 inches and 0.562 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.438 inches

Second Leg End Radius:

0.375 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

End radius

**Second Leg Hole Arrangement Style:** 

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

## **NSN 5340-01-024-8516** Angle Bracket - Page 2 of 2

Fiig: A042a0



Surface Treatment:
Cadmium and chromate
Special Test Features (non-core):
Special quality control testing
Surface Treatment Specification:
Qq-p-416, type 2, cl3 federal specification all treatment responses
Style Designator:
Angle
Departure From Cited Document:
Asdifferentiated by material which must conform to ships parts control center special quality control provisions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No