

View Online at <https://aerobasegroup.com/nsn/5340-01-025-7144>

First Leg Length:

0.750 inches

Second Leg Length:

0.800 inches

First Leg Hole Diameter:

0.129 mils and 0.134 centimeters

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.300 inches

Second Leg Slot Length:

Between 0.494 inches and 0.504 inches

Second Leg Slot Width:

Between 0.224 inches and 0.249 inches

First Leg Thickness:

0.071 inches

Second Leg Thickness:

0.071 inches

First Leg Width:

1.000 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Hole Arrangement Style:

One slot

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, t72or t81 federal specification single material response

Surface Treatment:

Anodize and zinc and chromate

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.