

View Online at <https://aerobasegroup.com/nsn/5340-01-026-1148>

First Leg Length:

1.250 inches

Second Leg Length:

2.030 inches

End Application:

Used on abf164 and abf518

Second Leg Width:

2.030 inches

First Leg Hole Diameter:

0.218 inches

Second Leg Hole Diameter:

0.166 inches

Second Leg Distance Between Hole Centers Along Width:

1.032 inches

Second Leg Distance Between Hole Centers Along Length:

1.032 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

2.000 inches

First Leg Distance Between Hole Centers Along Width:

1.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.375 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.2 radians

Material:

Steel comp 1010 and steel comp 1020

Material Specification:

Qq-s-693, cl b federal specification single material response

Surface Treatment:

Phosphate manganese

Surface Treatment Specification:

Mil-p-16232, type m, cl 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-p-16232 spec.