## NSN 5340-01-027-0498



Double Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-027-0498 First Leg Length: 1.250 inches Second Leg Length: 1.750 inches **End Application:** Semitlr, low bed m747 Second Leg Width: 16.000 inches First Leg Hole Diameter: Between 0.310 inches and 0.313 inches First Leg Thickness: 0.194 inches Second Leg Thickness: 0.194 inches **Center Section Height:** 2.000 inches **Center Section Width:** 16.000 inches **Center Section Thickness:** 0.194 inches First Leg Width: 16.000 inches First Leg Distance Between First And Second Hole Centers Along Width: 6.000 inches First Leg Distance Between Second And Third Hole Centers Along Width: 6.000 inches First Leg Distance From Edge To Hole Center Along Width: 2.000 inches First Leg Distance From Edge To Hole Center Along Length: 0.500 inches First Leg Style: Square First Leg Hole Arrangement Style: Three holes Second Leg Style: Square **Second Leg Hole Arrangement Style:** No hole Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

## NSN 5340-01-027-0498

Double Angle Bracket - Page 2 of 2



| Second Leg Angle:   |
|---|
| 90.0 degrees  |
| Special Features:   |
| Item has a parallelogram shape with a taper of 0.500 in. From each end  |
| Material:   |
| Steel   |
| Material Specification:   |
| Qq-s-698 federal specification single material response   |
| Surface Treatment:  |
| Primer and enamel   |
| Surface Treatment Specification:  |
| Tt-p-636 federal specification 1st treatment response and tt-e-529 federal specification 2nd treatment response |
| Style Designator:   |
| Double angle  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A042a0  |