

View Online at <https://aerobasegroup.com/nsn/5340-01-028-4086>

First Leg Length:

Between 0.820 inches and 0.860 inches

Second Leg Length:

Between 1.040 inches and 1.080 inches

Second Leg Width:

Between 1.040 inches and 1.080 inches

First Leg Hole Diameter:

Between 0.280 inches and 0.290 inches

Second Leg Hole Diameter:

0.250 inches

Second Leg Distance Between Hole Centers Along Width:

2.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.630 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.360 inches and 0.400 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

Between 1.880 inches and 1.920 inches

First Leg Distance Between Hole Centers Along Width:

2.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.630 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.360 inches and 0.400 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

111.0 degrees

Material:

Steel comp 1015 and steel comp 1025

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, cl3 federal specification all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0