

View Online at <https://aerobasegroup.com/nsn/5340-01-033-6729>

Mounting Hole Type:

Plain and threaded

First Leg Length:

1.000 inches

Second Leg Length:

1.000 inches

Second Leg Width:

0.875 inches

First Leg Hole Diameter:

0.136 inches

Second Leg Distance Between Hole Centers Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.188 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.406 inches

Second Leg Slot Length:

0.250 inches

Second Leg Slot Width:

0.188 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

0.875 inches

First Leg Distance From Edge To Hole Center Along Width:

0.436 inches

First Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Finish color black

Material:

Copper alloy 462 or copper alloy 464

Material Specification:

Qq-b-639 federal specification all material responses

Surface Treatment:

Oxide

Surface Treatment Specification:

Mil-f-495 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-f-495 spec.