

View Online at <https://aerobasegroup.com/nsn/5340-01-036-8644>

First Leg Length:

Between 2.219 inches and 2.281 inches

Second Leg Length:

Between 3.719 inches and 3.781 inches

Second Leg Width:

0.625 inches

First Leg Hole Diameter:

Between 0.113 inches and 0.116 inches

Second Leg Hole Diameter:

Between 0.096 inches and 0.102 inches

Second Leg Distance Between Hole Centers Along Width:

1.718 inches

Second Leg Distance Between Hole Centers Along Length:

0.506 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.813 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.562 inches

First Leg Thickness:

0.059 inches

Second Leg Thickness:

0.059 inches

First Leg Width:

0.625 inches

First Leg Distance From Edge To Hole Center Along Width:

0.375 inches

First Leg Distance From Edge To Hole Center Along Length:

1.124 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 40.0 degrees and 50.0 degrees

Special Features:

Hole one 0.190 in. Diameter threaded 10-32 nf 2b, one 0.169 in. Diameter plain; ends bend 0.562 in. With slots 0.250 in.

Material:

Steel

Surface Treatment:

Cadmium

Surface Treatment Specification:

580-001400 mfr ref single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0