## NSN 5340-01-036-9822

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-036-9822

First Leg Length:

Between 0.620 inches and 0.660 inches

Second Leg Length:

Between 2.256 inches and 2.296 inches

Second Leg Width:

Between 0.485 inches and 0.515 inches

First Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

Between 0.485 inches and 0.515 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg End Radius:

Between 0.344 inches and 0.406 inches

Second Leg End Radius:

Between 0.344 inches and 0.406 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

80.0 degrees

Second Leg Offset Angle:

Between 5.53 degrees and 5.56 degrees

## NSN 5340-01-036-9822

Angle Bracket - Page 2 of 2



| Material:                                       |
|---|
| Steel   |
| Material Specification:                         |
| Ams 5504 assn standard single material response |
| Style Designator:                               |
| Offset angle                                    |
| Shelf Life:                                     |
| N/a   |
| Unit Of Measure:                                |
|   |
| Demilitarization:                               |
| No  |
| Fiig:   |

A042a0