

View Online at <https://aerobasegroup.com/nsn/5340-01-037-2707>

Fabrication Method (non-core):

Forged

Mounting Hole Type:

Plain

First Leg Length:

1.940 inches

Second Leg Length:

3.750 inches

Second Leg Width:

7.500 inches

First Leg Hole Diameter:

Between 1.3128 inches and 1.3138 inches

Second Leg Hole Diameter:

Between 0.498 inches and 0.508 inches

Second Leg Distance Between Hole Centers Along Width:

1.625 inches

Second Leg Distance Between Hole Centers Along Length:

2.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.875 inches

First Leg Thickness:

0.440 inches

Second Leg Thickness:

0.440 inches

First Leg Width:

7.500 inches

First Leg End Width:

1.750 inches

First Leg Distance From Edge To Hole Center Along Width:

3.750 inches

First Leg Distance From Edge To Hole Center Along Length:

1.000 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Four additional 0.500 in. Diameter holes second leg

Material:

Steel comp 4340

Material Specification:

Mil-s-16974 military specification single material response

Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-p-16233, type m, class 4 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-16974 spec.