

View Online at <https://aerobasegroup.com/nsn/5340-01-037-4857>

Fabrication Method (non-core):

Any acceptable

First Leg Length:

1.620 inches

Second Leg Length:

2.120 inches

Second Leg Width:

6.500 inches

Second Leg Corner Radius:

0.250 inches

First Leg Slot Length:

0.781 inches

First Leg Slot Width:

Between 0.438 inches and 0.500 inches

Second Leg Hole Diameter:

Between 0.390 inches and 0.450 inches

Second Leg Distance Between Hole Centers Along Width:

5.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.420 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

6.500 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

5.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.440 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy

Material Specification:

Qq-a-250/6 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0