

View Online at <https://aerobasegroup.com/nsn/5340-01-038-3004>

Fabrication Method (non-core):

Machined

First Leg Length:

Between 1.050 inches and 1.110 inches

Second Leg Length:

Between 1.100 inches and 1.160 inches

Second Leg Width:

Between 2.730 inches and 2.790 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.287 inches

Second Leg Hole Diameter:

Between 0.193 inches and 0.202 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.360 inches and 0.400 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.400 inches and 0.420 inches

First Leg Thickness:

0.090 inches

Second Leg Thickness:

0.090 inches

First Leg Width:

Between 2.730 inches and 2.790 inches

First Leg Distance Between Hole Centers Along Width:

2.000 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.360 inches and 0.400 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.550 inches and 0.570 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 321

Material Specification:

Qq-s-766, class 321, cond a federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0