

View Online at <https://aerobasegroup.com/nsn/5340-01-040-2847>

**First Leg Length:**

0.600 inches

**Second Leg Length:**

0.650 inches

**Furnished Items (non-core):**

2 nut plates p/n bacn10jp3b

**End Application:**

Tf33-pw-100/100a engine

**Second Leg Width:**

4.000 inches

**Second Leg Corner Radius:**

0.220 inches

**First Leg Hole Diameter:**

Between 0.279 inches and 0.291 inches

**Second Leg Hole Diameter:**

Between 0.218 inches and 0.229 inches

**Second Leg Distance Between Hole Centers Along Width:**

3.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.310 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

4.000 inches

**First Leg Corner Radius:**

0.250 inches

**First Leg Distance Between Hole Centers Along Width:**

3.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

165.0 degrees

**Special Features:**

1st leg has u-shaped cut-out along lg

**Material:**

Steel comp 321

**Material Specification:**

Mil-s-6721 military specification single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-s-6721 spec.