

View Online at <https://aerobasegroup.com/nsn/5340-01-040-5940>

First Leg Length:

0.750 inches

Second Leg Length:

1.750 inches

End Application:

Tf33-pw-100/100a engine

Second Leg Width:

1.110 inches

Second Leg Corner Radius:

0.320 inches

Second Leg End Width:

1.400 inches

First Leg Hole Diameter:

Between 0.218 inches and 0.229 inches

Second Leg Hole Diameter:

Between 0.342 inches and 0.354 inches

Second Leg Distance Between Hole Centers Along Width:

0.780 inches

Second Leg Distance Between Hole Centers Along Length:

1.040 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.300 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.300 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

1.110 inches

First Leg Distance From Edge To Hole Center Along Width:

0.440 inches

First Leg Distance From Edge To Hole Center Along Length:

0.320 inches

First Leg Hole Arrangement Style:

One hole

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

162.0 degrees

Second Leg Offset Angle:

37.0 degrees

Special Features:

2nd leg, 2 holes as stated above, 2 holes 0.218-0.229 in. Dia

Material:

Steel comp 321

Material Specification:

Mil-s-6721 military specification single material response

Style Designator:

Offset angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-s-6721 spec.