## NSN 5340-01-040-9556

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-040-9556

First Leg Length:
1.650 inches
Second Leg Length:
2.000 inches
Furnished Items (non-core):
Nut plate p/n bacn10jp3a
End Application:
Tf33-pw-100/100a engine
Second Leg Width:
2.500 inches
First Leg Hole Diameter:
Between 0.342 inches and 0.354 inches
Second Leg Hole Diameter:
Between 0.218 inches and 0.229 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.500 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.880 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
First Leg Width:
e. = eg
2.500 inches
<del>-</del>
2.500 inches
2.500 inches  First Leg Corner Radius:
2.500 inches  First Leg Corner Radius: 0.500 inches
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width:
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width:
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length:
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length: 0.500 inches
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length: 0.500 inches  First Leg Style:
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length: 0.500 inches  First Leg Style:  Corner radius
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length: 0.500 inches  First Leg Style:  Corner radius  First Leg Hole Arrangement Style:
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length: 0.500 inches  First Leg Style:  Corner radius  First Leg Hole Arrangement Style:  Two holes
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length: 0.500 inches  First Leg Style:  Corner radius  First Leg Hole Arrangement Style:  Two holes  Second Leg Style:
2.500 inches  First Leg Corner Radius: 0.500 inches  First Leg Distance Between Hole Centers Along Width: 2.000 inches  First Leg Distance From Edge To Hole Center Along Width: 0.500 inches  First Leg Distance From Edge To Hole Center Along Length: 0.500 inches  First Leg Style: Corner radius  First Leg Hole Arrangement Style: Two holes  Second Leg Style: Angle

Not identical

## NSN 5340-01-040-9556

Angle Bracket - Page 2 of 2

Mil-s-6721 spec.



First Leg Angle:
90.0 degrees
Special Features:
Items furnished as accessories: nut plate p/n bacn10jp3a
Material:
Steel comp 321
Material Specification:
Mil-s-6721 military specification single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):