

View Online at <https://aerobasegroup.com/nsn/5340-01-042-2719>

Fabrication Method (non-core):

Machined

Mounting Hole Type:

Countersunk

First Leg Length:

5.250 inches

Second Leg Length:

5.250 inches

Second Leg Width:

1.000 inches

First Leg Hole Diameter:

Between 0.215 inches and 0.223 inches

Second Leg Hole Diameter:

Between 0.257 inches and 0.264 inches

Second Leg Distance Between Upper Hole Centers Along Width:

4.500 inches

Second Leg Distance Between Lower Hole Centers Along Width:

Between 0.995 inches and 1.005 inches

Second Leg Distance Between Hole Centers Along Length:

0.090 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

Between 1.740 inches and 1.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.370 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.280 inches

First Leg Thickness:

0.120 inches

Second Leg Thickness:

0.120 inches

First Leg Width:

1.000 inches

First Leg Distance Between Hole Centers Along Width:

1.810 inches

First Leg Distance From Edge To Hole Center Along Width:

0.370 inches

First Leg Distance From Edge To Hole Center Along Length:

0.480 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Ams 5643 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0