

View Online at <https://aerobasegroup.com/nsn/5340-01-044-2047>

First Leg Length:

26.900 millimeters

Second Leg Length:

96.800 millimeters

Reinforcement Method (non-core):

Rib stiffener both ends

Second Leg Width:

32.000 millimeters

First Leg Hole Diameter:

Between 8.600 millimeters and 9.100 millimeters

Second Leg Hole Diameter:

Between 23.000 millimeters and 23.500 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

16.000 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

17.000 millimeters

First Leg Thickness:

Between 2.000 millimeters and 2.350 millimeters

Second Leg Thickness:

Between 2.000 millimeters and 2.350 millimeters

First Leg Width:

32.000 millimeters

First Leg Distance From Edge To Hole Center Along Width:

16.000 millimeters

First Leg Distance From Edge To Hole Center Along Length:

10.400 millimeters

Second Leg End Radius:

17.000 millimeters

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 1010

Surface Treatment:

Zinc

Surface Treatment Specification:

P-44-a-16764 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A042a0