

View Online at <https://aerobasegroup.com/nsn/5340-01-046-2630>

First Leg Length:

1.500 inches

Second Leg Length:

2.120 inches

Second Leg Width:

1.800 inches

Second Leg Corner Radius:

0.620 inches

First Leg Hole Diameter:

Between 0.343 inches and 0.350 inches

Second Leg Slot Length:

1.250 inches

Second Leg Slot Width:

0.380 inches

First Leg Thickness:

0.188 inches

Second Leg Thickness:

0.188 inches

First Leg Width:

3.500 inches

First Leg Corner Radius:

0.380 inches

First Leg Distance From Edge To Hole Center Along Width:

0.620 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Distance Between First And Second Hole Centers Along Length:

1.250 inches

First Leg Distance Between Second And Third Hole Centers Along Length:

1.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 634 or steel comp 4130

Material Specification:

Qq-s-634, c1080 federal specification 1st material response or aisi/sae 4130 assn standard 2nd material response

Surface Treatment:

Zinc

Surface Treatment Specification:

Qq-z-325, type 2, class 1 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0