# NSN 5340-01-046-3370

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-046-3370

abrication Method (non-core):	
ormed	
irst Leg Length:	
setween 1.670 inches and 1.710 inches	
econd Leg Length:	
etween 13.940 inches and 14.000 inches	
econd Leg Width:	
etween 1.470 inches and 1.530 inches	
irst Leg Slot Length:	
etween 0.540 inches and 0.560 inches	
irst Leg Slot Width:	
Between 0.416 inches and 0.431 inches	
econd Leg Distance From Edge To Hole Center Along Widtl	h:
.750 inches	
econd Leg Distance From Edge To Hole Center Along Leng	jth:
.830 inches	
econd Leg Slot Length:	
Between 1.100 inches and 1.140 inches	
econd Leg Slot Width:	
Between 0.416 inches and 0.431 inches	
irst Leg Thickness:	
.190 inches	
econd Leg Thickness:	
.190 inches	
Center Section Height:	
Between 4.340 inches and 4.420 inches	
Center Section Width:	
etween 1.470 inches and 1.530 inches	
Center Section Thickness:	
.190 inches	
irst Leg Width:	
Between 1.470 inches and 1.530 inches	
irst Leg Distance From Edge To Hole Center Along Width:	
.750 inches	
irst Leg Distance From Edge To Hole Center Along Length:	
Setween 0.720 inches and 0.740 inches	
irst Leg Style:	
Square	
irst Leg Hole Arrangement Style:	
One slot	
second Leg Style:	

# NSN 5340-01-046-3370

Double Angle Bracket - Page 2 of 2



Second Leg Hole Arrangement Style:

One slot

# Second Leg Relationship To First Leg:

Not identical

# First Leg Angle:

90.0 degrees

# Second Leg Angle:

90.0 degrees

# Material:

Aluminum alloy

#### Surface Treatment:

Anodize

#### Style Designator:

Double angle

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A042a0