

View Online at <https://aerobasegroup.com/nsn/5340-01-047-6555>

Mounting Hole Type:

Plain

First Leg Length:

1.000 inches

Second Leg Length:

2.000 inches

End Application:

F-16 acft

Second Leg Width:

2.880 inches

Second Leg End Width:

0.380 inches

First Leg Hole Diameter:

Between 0.251 inches and 0.254 inches

Second Leg Hole Diameter:

Between 0.619 inches and 0.622 inches

Second Leg Distance Between Upper Hole Centers Along Width:

2.100 inches

Second Leg Distance Between Hole Centers Along Length:

0.400 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.050 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.390 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.610 inches

First Leg Thickness:

0.140 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

2.880 inches

First Leg End Width:

2.000 inches

First Leg Distance Between Hole Centers Along Width:

1.680 inches

First Leg Distance From Edge To Hole Center Along Width:

0.600 inches

First Leg Distance From Edge To Hole Center Along Length:

0.410 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

45.0 degrees

Special Features:

F-16 acft

Material:

Aluminum alloy

Material Specification:

Qq-a-250/4-t851 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0