

View Online at <https://aerobasegroup.com/nsn/5340-01-049-6761>

Mounting Hole Type:

Counterbored and plain

First Leg Length:

8.482 inches

Second Leg Length:

23.880 inches

Reinforcement Method (non-core):

Gusset second leg

Second Leg Width:

6.620 inches

Second Leg End Width:

3.990 inches

First Leg Hole Diameter:

0.810 inches

Second Leg Hole Diameter:

0.562 inches

Second Leg Distance Between Hole Centers Along Width:

1.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.620 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.630 inches

First Leg Thickness:

0.690 inches

Second Leg Thickness:

0.580 inches

First Leg Width:

9.904 inches

First Leg End Width:

2.830 inches

First Leg Distance Between Hole Centers Along Width:

7.464 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

7.752 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Angle

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

First leg concave radius w/3 holes 0.625 dia

Material:

Steel

Material Specification:

Qq-s-681 cl 105-85 federal specification single material response

Surface Treatment:

Lacquer

Surface Treatment Specification:

Mil-std-171 fn 21.11 military standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-171 spec.