NSN 5340-01-054-2621

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-054-2621 First Leg Length: 1.250 inches Second Leg Length: 1.875 inches Second Leg Width: 1.500 inches **Second Leg Corner Radius:** 0.250 inches First Leg Hole Diameter: Between 0.217 inches and 0.223 inches Second Leg Hole Diameter: Between 0.780 inches and 0.791 inches Second Leg Distance From Edge To Hole Center Along Width: 0.750 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.750 inches First Leg Thickness: 0.125 inches Second Leg Thickness: 0.125 inches **Center Section Height:** 4.375 inches **Center Section Width:** 1.500 inches **Center Section Thickness:** 0.125 inches First Leg Width: 1.500 inches First Leg Distance Between Hole Centers Along Width: 0.750 inches First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length: 0.375 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

NSN 5340-01-054-2621

Double Angle Bracket - Page 2 of 2

Mil-c-5541 spec.



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Material:
Aluminum alloy 6061
Surface Treatment:
Paint
Surface Treatment Specification:
Mil-c-5541, class 3, gold military specification single treatment response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):