

View Online at <https://aerobasegroup.com/nsn/5340-01-055-6205>

Mounting Hole Type:

Plain

First Leg Length:

1.500 inches

Second Leg Length:

3.940 inches

Reinforcement Method (non-core):

Turned edge second leg

End Application:

Tf33-pw-100/100a engine

Second Leg Width:

1.430 inches

Second Leg End Width:

1.930 inches

First Leg Hole Diameter:

Between 0.218 inches and 0.229 inches

Second Leg Hole Diameter:

Between 0.342 inches and 0.354 inches

Second Leg Distance Between Hole Centers Along Width:

0.980 inches

Second Leg Distance Between Hole Centers Along Length:

0.090 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.370 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.390 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

1.430 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Hole Arrangement Style:

One hole

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

84.0 degrees

Material:

Steel comp 321

Material Specification:

Mil-s-6721 military specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-6721 spec.