

View Online at <https://aerobasegroup.com/nsn/5340-01-055-9772>

**Mounting Hole Type:**

Threaded

**First Leg Length:**

0.600 inches

**Second Leg Length:**

0.700 inches

**Second Leg Width:**

Between 0.436 inches and 0.456 inches

**First Leg Hole Diameter:**

0.112 inches

**Second Leg Hole Diameter:**

Between 0.264 inches and 0.278 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.213 inches and 0.233 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

Between 0.190 inches and 0.210 inches

**Second Leg Thickness:**

Between 0.070 inches and 0.090 inches

**First Leg Width:**

Between 0.436 inches and 0.456 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.213 inches and 0.233 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.350 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-225/6, t4 federal specification 1st material response or qq-a-250/11, alloy 6061, t4 federal specification 2nd material response

**Surface Treatment:**

Oxide film

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.