NSN 5340-01-066-7577

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-066-7577 First Leg Length: 2.690 inches Second Leg Length: 2.690 inches **End Application:** Carrier pers ft m113a1 Second Leg Width: 1.500 inches First Leg Hole Diameter: Between 0.500 inches and 0.520 inches Second Leg Hole Diameter: 0.188 inches Second Leg Distance Between Hole Centers Along Width: 0.812 inches Second Leg Distance Between Hole Centers Along Length: 0.314 inches **Second Leg Distance From Edge To Hole Center Along Width:** 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.188 inches First Leg Thickness: 0.250 inches **Second Leg Thickness:** 0.250 inches **Center Section Height:** 2.750 inches **Center Section Width:** 1.500 inches **Center Section Thickness:** 0.250 inches First Leg Width: 1.500 inches First Leg Distance From Edge To Hole Center Along Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Length: 0.502 inches First Leg Style: Square First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

NSN 5340-01-066-7577Double Angle Bracket - Page 2 of 2



Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Special Features:
Center section contains 2 holes, 0.406 in. Min dia, 0.436 in. Maximum dia, located 0.750 in. From each end
Material:
Steel
Material Specification:
Qq-s-741 military specification single material response
Surface Treatment:
Primer and enamel
Surface Treatment Specification:
Tt-p-636 military specification single treatment response and tt-l-529 military specification single treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A042a0
Mil-std (military Standard):
spec.