NSN 5340-01-073-3061

Access Cover - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-073-3061

Cross Sectional Shape: Flat, round rib reinforced Hole Diameter: 0.280 inches Width: 1.880 inches Flange Thickness: 0.372 inches Edge Shape: Rectangle, four holes Length:
Hole Diameter: 0.280 inches Width: 1.880 inches Flange Thickness: 0.372 inches Edge Shape: Rectangle, four holes Length:
0.280 inches Width: 1.880 inches Flange Thickness: 0.372 inches Edge Shape: Rectangle, four holes Length:
Width: 1.880 inches Flange Thickness: 0.372 inches Edge Shape: Rectangle, four holes Length:
1.880 inches Flange Thickness: 0.372 inches Edge Shape: Rectangle, four holes Length:
Flange Thickness: 0.372 inches Edge Shape: Rectangle, four holes Length:
0.372 inches Edge Shape: Rectangle, four holes Length:
Edge Shape: Rectangle, four holes Length:
Rectangle, four holes Length:
Length:
1.880 inches
Corner Radius:
1.220 inches
Distance Between Holes Along Length:
1.320 inches
Distance Between Holes Along Width:
1.320 inches
Distance From First Hole Centerline To End Along Length:
0.280 inches
Distance From First Hole Centerline To End Along Width:
0.280 inches
Body Thickness:
1.220 inches
Securing Device Type:
Special
Mounting Opening Shape Style:
Unthreaded hole
Special Features:
Boss has ring groove 1.063 in. Diameter x 0.188 in. W 0.140 in. From end; boss recess 0.560 in. Diameter x 0.250 deep
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6 al 2024 tp t351 federal specification single material response
Surface Treatment:
Oxide film
Surface Treatment Specification:
Mil-c-5541cl1a military specification single treatment response
Shelf Life:
N/a
Unit Of Measure:

NSN 5340-01-073-3061

Access Cover - Page 2 of 2



_					
11	em)	 tor	172	n	

No

Fiig:

A531c0

Mil-std (military Standard):

Mil-c-5541cl1a spec.