

View Online at <https://aerobasegroup.com/nsn/5340-01-075-8989>

**First Leg Length:**

Between 0.970 inches and 1.030 inches

**Second Leg Length:**

Between 2.470 inches and 2.530 inches

**Second Leg Width:**

Between 5.220 inches and 5.280 inches

**First Leg Hole Diameter:**

Between 0.174 inches and 0.194 inches

**Second Leg Hole Diameter:**

Between 0.174 inches and 0.194 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.360 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.375 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.500 inches

**First Leg Width:**

Between 5.220 inches and 5.280 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

1.750 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

1.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Second leg has eight additional holes varying in dia. And four terminals, p/n se079b02s

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11, t4 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.