

View Online at <https://aerobasegroup.com/nsn/5340-01-080-8910>

**Fabrication Method (non-core):**

Welded

**Mounting Hole Type:**

Plain

**First Leg Length:**

2.495 inches

**Second Leg Length:**

6.025 inches

**End Application:**

2350-00-873-5408

**Second Leg Width:**

1.640 inches

**First Leg Hole Diameter:**

0.560 inches

**Second Leg Hole Diameter:**

0.680 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.820 inches

**First Leg Thickness:**

0.375 inches

**Second Leg Thickness:**

0.375 inches

**Center Section Height:**

11.320 inches

**Center Section Width:**

4.260 inches

**Center Section Thickness:**

0.375 inches

**First Leg Width:**

4.260 inches

**First Leg Distance Between Hole Centers Along Width:**

3.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**Second Leg End Radius:**

0.820 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 6061 or aluminum alloy 5052

**Material Specification:**

Qq-a-250/11, temper 0 federal specification single material response or qq-a-250/8, temper 0 federal specification single material response

**Surface Treatment:**

Chromate and enamel

**Surface Treatment Specification:**

Mil-c-5541, class 1a military specification 1st treatment response and tt-e-485 federal specification 2nd treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.