

View Online at <https://aerobasegroup.com/nsn/5340-01-080-8910>

Fabrication Method (non-core):

Welded

Mounting Hole Type:

Plain

First Leg Length:

2.495 inches

Second Leg Length:

6.025 inches

End Application:

2350-00-873-5408

Second Leg Width:

1.640 inches

First Leg Hole Diameter:

0.560 inches

Second Leg Hole Diameter:

0.680 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.820 inches

First Leg Thickness:

0.375 inches

Second Leg Thickness:

0.375 inches

Center Section Height:

11.320 inches

Center Section Width:

4.260 inches

Center Section Thickness:

0.375 inches

First Leg Width:

4.260 inches

First Leg Distance Between Hole Centers Along Width:

3.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

Second Leg End Radius:

0.820 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061 or aluminum alloy 5052

Material Specification:

Qq-a-250/11, temper 0 federal specification single material response or qq-a-250/8, temper 0 federal specification single material response

Surface Treatment:

Chromate and enamel

Surface Treatment Specification:

Mil-c-5541, class 1a military specification 1st treatment response and tt-e-485 federal specification 2nd treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.