

View Online at <https://aerobasegroup.com/nsn/5340-01-085-6790>

**First Leg Length:**

0.813 inches

**Second Leg Length:**

1.563 inches

**Second Leg Width:**

0.750 inches

**First Leg Hole Diameter:**

0.098 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.375 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.438 inches

**Second Leg Slot Length:**

0.500 inches

**Second Leg Slot Width:**

0.250 inches

**First Leg Thickness:**

0.050 inches

**Second Leg Thickness:**

0.050 inches

**First Leg Width:**

0.750 inches

**First Leg Distance Between Hole Centers Along Width:**

0.375 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

0.188 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

0.188 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.188 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.188 inches

**First Leg Distance Between First And Second Hole Centers Along Length:**

0.188 inches

**First Leg Distance Between Second And Third Hole Centers Along Length:**

0.188 inches

**First Leg End Radius:**

0.250 inches

**Second Leg End Radius:**

0.500 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

Four holes

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Color gold

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-250/5, alclad o federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.